L Number	Hits	Search Text	DB	Time stamp
1	432	(((data near4 compression$2) same database) and memory) and range	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
2	143	(wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
3	0	(((((data near4 compression$2) same database) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
4	143	(wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
5	646	(((((data near4 compression$2) same database) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
6	0	(((((data near4 compression$2) same database) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and ((((((data near4 compression$2) same database) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
7	3679271	wild NEAR3 card$1 NEAR$4 rang$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
8	0	(((((data near4 compression$2) same database) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and ((((((data near4 compression$2) same database) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2))) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
9	0	(((((data near4 compression$2) same database) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and ((((((data near4 compression$2) same database) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2))) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and (((((data near4 compression$2) same database) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
10	0	((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and (((((data near4 compression$2) same database) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2))) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and (((((data near4 compression$2) same database) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:04

-	120	((data-base) or (data adj base) or (database)) same wildcard$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:51
-	212	707/.ccls. and wildcard$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 11:28
-	610	707/6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 13:47
-	19582	data adj compression$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 13:34
-	265	(data adj compression$2) same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 13:35
-	210	((data adj compression$2) same database) and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 13:35
-	5	((((data adj compression$2) same database) and memory) and range) and wild$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 13:38
-	132	(((data adj compression$2) same database) and memory) and range	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:02
-	813	707/101.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 14:33
-	114	(wildcard$2 OR wild-card$4) AND (ip! ADJ2 address$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 10:51
-	25	(wildcard$2 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
-	364	370/397.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 15:09
-	90	370/397.ccls. and IP!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 15:17

-	35	370/399.ccls. and IP!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 15:19
-	517	370/401.ccls. and IP!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 15:19
-	59	370/409.ccls. and IP!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 15:19
-	829	wildcard$2 OR wild-card$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/27 09:33
-	718	(wildcard$2 OR wild-card$4) AND number$2 AND data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:51
-	92	(wildcard$2 OR wild-card$4) SAME number$2 SAME data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/27 11:15
-	44	determin$4 near5 (wildcard$2 or wild-card$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/27 12:41
-	2	("6138123").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/27 12:44
-	69	represent$4 near3 (wildcard$2 or wild-card$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/27 12:47
-	65	(represent$4 near3 (wildcard$2 or wild-card$4)) and determin$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	14	(represent$4 near3 (wildcard$2 or wild-card$4)) same determin$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	2	("6151631").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/28 12:46
-	2	("6026398").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/28 12:49

-	2	("6263341").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/28 12:49
-	3	telephone near5 wildcards	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/28 12:51
-	3034154	wild NEAR4 card$1 NEAR$4 rang$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
-	27355	(wild NEAR4 card$1 NEAR$4 rang$4) and (sub$5 NEAR4 number$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 10:51
-	1051	(wildcard$2 OR wild-card$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/06 14:16
-	5	((wildcard$2 OR wild-card$4)) near5 rang$4 near5 number$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/06 14:20
-	8	((wildcard$2 OR wild-card$4)) near10 rang$4 near10 number$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/06 14:21
-	2913	(wildcard$1 wild-card$1 (wild near2 card$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/01 09:07
-	29	((wildcard$1 wild-card$1 (wild near2 card$1))) and (four near3 rang$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	226	((database) or (data adj base) or (database)) same wildcard$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 10:51
-	321	(wildcard$2 or wild-card$4) AND (ip! ADJ2 address$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 10:51
-	90	(wildcard$2 wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:53
-	3319197	wild NEAR4 card$1 NEAR$4 rang$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 10:53

-	30	((wildcard$1 (wild near2 card$1))) and (four near3 rang$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 10:53
-	25655	(wild NEAR4 card$1 NEAR$4 rang$3) and (sub$5 NEAR4 number$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 10:55
-	30	((wildcard$1 (wild near2 card$1))) and (four near3 rang$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 10:55
-	18	(represent$3 near3 (wildcard$2 or wild-card$4)) same determin$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	265	((data-base) (data adj base) or (database)) same wildcard$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:51
-	114	(wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	138	(represent$3 near3 (wildcard$2 or wild-card$4)) and determin$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	114	(wildcard$3 wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	36	((wildcard$3 wild-card$1 (wild near2 card$1))) and (four near3 rang$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	36	((wildcard$3 wild-card$1 (wild near2 card$1))) and (four near3 rang$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	19	(represent$4 near3 (wildcard$2 or wild-card$4)) same determin$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	114	(wildcard$4 wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	19	(represent$3 near3 (wildcard$2 or wild-card$4)) same determin$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52

-	114	(wildcard$3 wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	1817	(wildcard$4 OR wild-card$4) AND number$2 AND data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:53
-	114	(wildcard$3 wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:53